




KEY PLAN
索引圖



HOUSE 1
1號洋房Cross-Section Plan H1-A
橫截面圖 H1-ACross-Section Plan H1-B
橫截面圖 H1-B

NOTES:

- ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- Dotted line denotes the level of the lowest residential floor of the building.
- The part of Driveway / Emergency Vehicular Access adjacent to the building is 14.51 metres above the Hong Kong Principal Datum.
- The part of Maintenance Path adjacent to the building is 8.00 metres above the Hong Kong Principal Datum.

備註:

- ▽ 代表香港主水平基準以上的高度 (米)。
- 虛線代表建築物之最低住宅樓層水平。
- 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上14.51米。
- 毗連建築物的一段維修通道為香港主水平基準以上8.00米。


HOUSE 2
2號洋房

NOTES:

- ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- Dotted line denotes the level of the lowest residential floor of the building.
- The part of Driveway / Emergency Vehicular Access adjacent to the building is 15.13 metres to 16.27 metres above the Hong Kong Principal Datum.
- The part of Pedestrian Passage adjacent to the building is 9.20 metres above the Hong Kong Principal Datum.

備註:

- ▽ 代表香港主水平基準以上的高度 (米)。
- 虛線代表建築物之最低住宅樓層水平。
- 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上15.13米至16.27米。
- 毗連建築物的一段行人通道為香港主水平基準以上9.20米。



HOUSE 3
3號洋房

NOTES:

1. ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
2. — — Dotted line denotes the level of the lowest residential floor of the building.
3. The part of Driveway / Emergency Vehicular Access adjacent to the building is 16.44 metres to 17.58 metres above the Hong Kong Principal Datum.

備註:

1. ▽ 代表香港主水平基準以上的高度 (米)。
2. — — 虛線代表建築物之最低住宅樓層水平。
3. 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上16.44米至17.58米。

HOUSE 5
5號洋房

NOTES:

1. ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
2. — Dotted line denotes the level of the lowest residential floor of the building.
3. The part of Driveway / Emergency Vehicular Access adjacent to the building is 18.10 metres and 16.21 metres to 17.67 metres above the Hong Kong Principal Datum.


備註:

1. ▽ 代表香港主水平基準以上的高度 (米)。
2. — 虛線代表建築物之最低住宅樓層水平。
3. 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上18.10米及16.21米至17.67米。

19

CROSS-SECTION PLAN OF BUILDING IN THE DEVELOPMENT 發展項目中的建築物橫截面圖

HOUSE 6 6號洋房




NOTES:

- ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- Dotted line denotes the level of the lowest residential floor of the building.
- The part of Driveway / Emergency Vehicular Access adjacent to the building is 18.10 metres above the Hong Kong Principal Datum.

備註:

- ▽ 代表香港主水平基準以上的高度 (米)。
- 虛線代表建築物之最低住宅樓層水平。
- 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上18.10米。

HOUSE 7 7號洋房



NOTES:

- ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- Dotted line denotes the level of the lowest residential floor of the building.
- The part of Driveway / Emergency Vehicular Access adjacent to the building is 18.10 metres above the Hong Kong Principal Datum.


備註:

- ▽ 代表香港主水平基準以上的高度 (米)。
- 虛線代表建築物之最低住宅樓層水平。
- 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上18.10米。

19

CROSS-SECTION PLAN OF BUILDING IN THE DEVELOPMENT 發展項目中的建築物橫截面圖

HOUSE 8 8號洋房




NOTES:

- ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- Dotted line denotes the level of the lowest residential floor of the building.
- The part of Driveway / Emergency Vehicular Access adjacent to the building is 18.10 metres above the Hong Kong Principal Datum.

備註:

- ▽ 代表香港主水平基準以上的高度 (米)。
- 虛線代表建築物之最低住宅樓層水平。
- 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上18.10米。

HOUSE 9 9號洋房



NOTES:

- ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- Dotted line denotes the level of the lowest residential floor of the building.
- The part of Driveway / Emergency Vehicular Access adjacent to the building is 18.10 metres above the Hong Kong Principal Datum.


備註:

- ▽ 代表香港主水平基準以上的高度 (米)。
- 虛線代表建築物之最低住宅樓層水平。
- 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上18.10米。

19

CROSS-SECTION PLAN OF BUILDING IN THE DEVELOPMENT 發展項目中的建築物橫截面圖

HOUSE 10 10號洋房




NOTES:

- ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- Dotted line denotes the level of the lowest residential floor of the building.
- The part of Driveway / Emergency Vehicular Access adjacent to the building is 18.10 metres above the Hong Kong Principal Datum.

備註:

- ▽ 代表香港主水平基準以上的高度 (米)。
- 虛線代表建築物之最低住宅樓層水平。
- 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上18.10米。

HOUSE 11 11號洋房



NOTES:

- ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- Dotted line denotes the level of the lowest residential floor of the building.
- The part of Driveway / Emergency Vehicular Access adjacent to the building is 17.74 metres to 18.10 metres above the Hong Kong Principal Datum.


備註:

- ▽ 代表香港主水平基準以上的高度 (米)。
- 虛線代表建築物之最低住宅樓層水平。
- 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上17.74米至18.10米。

19

CROSS-SECTION PLAN OF BUILDING IN THE DEVELOPMENT 發展項目中的建築物橫截面圖

HOUSE 12 12號洋房




NOTES:

- ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- Dotted line denotes the level of the lowest residential floor of the building.
- The part of Driveway / Emergency Vehicular Access adjacent to the building is 16.78 metres to 17.43 metres above the Hong Kong Principal Datum.

備註:

- ▽ 代表香港主水平基準以上的高度 (米)。
- 虛線代表建築物之最低住宅樓層水平。
- 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上16.78米至17.43米。

HOUSE 15 15號洋房




NOTES:

- ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- Dotted line denotes the level of the lowest residential floor of the building.
- The part of Driveway / Emergency Vehicular Access adjacent to the building is 15.85 metres to 16.47 metres above the Hong Kong Principal Datum.

備註:

- ▽ 代表香港主水平基準以上的高度 (米)。
- 虛線代表建築物之最低住宅樓層水平。
- 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上15.85米至16.47米。


HOUSE 16
16號洋房

NOTES:

- ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- Dotted line denotes the level of the lowest residential floor of the building.
- The part of Driveway / Emergency Vehicular Access adjacent to the building is 15.32 metres to 15.85 metres above the Hong Kong Principal Datum.

備註:

- ▽ 代表香港主水平基準以上的高度 (米)。
- 虛線代表建築物之最低住宅樓層水平。
- 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上15.32米至15.85米。

HOUSE 17
17號洋房

NOTES:

- ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- Dotted line denotes the level of the lowest residential floor of the building.
- The part of Driveway / Emergency Vehicular Access adjacent to the building is 14.84 metres to 15.32 metres above the Hong Kong Principal Datum.


備註:

- ▽ 代表香港主水平基準以上的高度 (米)。
- 虛線代表建築物之最低住宅樓層水平。
- 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上14.84米至15.32米。

19

CROSS-SECTION PLAN OF BUILDING IN THE DEVELOPMENT 發展項目中的建築物橫截面圖

HOUSE 18 18號洋房




NOTES:

- ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- Dotted line denotes the level of the lowest residential floor of the building.
- The part of Driveway / Emergency Vehicular Access adjacent to the building is 14.35 metres to 14.84 metres above the Hong Kong Principal Datum.

備註:

- ▽ 代表香港主水平基準以上的高度 (米)。
- 虛線代表建築物之最低住宅樓層水平。
- 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上14.35米至14.84米。

HOUSE 19 19號洋房





NOTES:

- ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- Dotted line denotes the level of the lowest residential floor of the building.
- The part of Driveway / Emergency Vehicular Access adjacent to the building is 13.85 metres to 14.35 metres above the Hong Kong Principal Datum.

備註:

- ▽ 代表香港主水平基準以上的高度 (米)。
- 虛線代表建築物之最低住宅樓層水平。
- 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上13.85米至14.35米。



HOUSE 20
20號洋房

NOTES:

- ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- Dotted line denotes the level of the lowest residential floor of the building.
- The part of Driveway / Emergency Vehicular Access adjacent to the building is 13.80 metres to 13.85 metres above the Hong Kong Principal Datum.
- The part of Pedestrian Passage adjacent to the building is 8.20 metres above the Hong Kong Principal Datum.

備註:

- ▽ 代表香港主水平基準以上的高度 (米)。
- 虛線代表建築物之最低住宅樓層水平。
- 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上13.80米至13.85米。
- 毗連建築物的一段行人通道為香港主水平基準以上8.20米。


HOUSE 21
21號洋房

NOTES:

- ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- Dotted line denotes the level of the lowest residential floor of the building.
- The part of Driveway / Emergency Vehicular Access adjacent to the building is 13.80 metres above the Hong Kong Principal Datum.
- The part of Pedestrian Passage adjacent to the building is 7.80 metres above the Hong Kong Principal Datum.

備註:

- ▽ 代表香港主水平基準以上的高度 (米)。
- 虛線代表建築物之最低住宅樓層水平。
- 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上13.80米。
- 毗連建築物的一段行人通道為香港主水平基準以上7.80米。


HOUSE 22
22號洋房

NOTES:

- ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- Dotted line denotes the level of the lowest residential floor of the building.
- The part of Driveway / Emergency Vehicular Access adjacent to the building is 13.80 metres above the Hong Kong Principal Datum.

備註:

- ▽ 代表香港主水平基準以上的高度 (米)。
- 虛線代表建築物之最低住宅樓層水平。
- 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上13.80米。

HOUSE 23
23號洋房

NOTES:

- ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- Dotted line denotes the level of the lowest residential floor of the building.
- The part of Driveway / Emergency Vehicular Access adjacent to the building is 13.80 metres above the Hong Kong Principal Datum.


備註:

- ▽ 代表香港主水平基準以上的高度 (米)。
- 虛線代表建築物之最低住宅樓層水平。
- 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上13.80米。

19

CROSS-SECTION PLAN OF BUILDING IN THE DEVELOPMENT 發展項目中的建築物橫截面圖

HOUSE 25 25號洋房




NOTES:

- ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- Dotted line denotes the level of the lowest residential floor of the building.
- The part of Driveway / Emergency Vehicular Access adjacent to the building is 13.80 metres above the Hong Kong Principal Datum.

備註:

- ▽ 代表香港主水平基準以上的高度 (米)。
- 虛線代表建築物之最低住宅樓層水平。
- 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上13.80米。

HOUSE 26 26號洋房



NOTES:

- ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- Dotted line denotes the level of the lowest residential floor of the building.
- The part of Driveway / Emergency Vehicular Access adjacent to the building is 13.80 metres to 14.19 metres above the Hong Kong Principal Datum.


備註:

- ▽ 代表香港主水平基準以上的高度 (米)。
- 虛線代表建築物之最低住宅樓層水平。
- 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上13.80米至14.19米。

19

CROSS-SECTION PLAN OF BUILDING IN THE DEVELOPMENT 發展項目中的建築物橫截面圖

HOUSE 27 27號洋房




NOTES:

- ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- Dotted line denotes the level of the lowest residential floor of the building.
- The part of Driveway / Emergency Vehicular Access adjacent to the building is 14.19 metres to 14.79 metres above the Hong Kong Principal Datum.

備註:

- ▽ 代表香港主水平基準以上的高度 (米)。
- 虛線代表建築物之最低住宅樓層水平。
- 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上14.19米至14.79米。

HOUSE 28 28號洋房



NOTES:

- ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- Dotted line denotes the level of the lowest residential floor of the building.
- The part of Driveway / Emergency Vehicular Access adjacent to the building is 14.85 metres to 15.35 metres above the Hong Kong Principal Datum.


備註:

- ▽ 代表香港主水平基準以上的高度 (米)。
- 虛線代表建築物之最低住宅樓層水平。
- 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上14.85米至15.35米。

19

CROSS-SECTION PLAN OF BUILDING IN THE DEVELOPMENT 發展項目中的建築物橫截面圖

HOUSE 31 31號洋房




NOTES:

- ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- Dotted line denotes the level of the lowest residential floor of the building.
- The part of Driveway / Emergency Vehicular Access adjacent to the building is 15.85 metres to 16.37 metres above the Hong Kong Principal Datum.

備註:

- ▽ 代表香港主水平基準以上的高度 (米)。
- 虛線代表建築物之最低住宅樓層水平。
- 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上15.85米至16.37米。

HOUSE 32 32號洋房



NOTES:

- ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- Dotted line denotes the level of the lowest residential floor of the building.
- The part of Driveway / Emergency Vehicular Access adjacent to the building is 16.37 metres to 16.88 metres above the Hong Kong Principal Datum.


備註:

- ▽ 代表香港主水平基準以上的高度 (米)。
- 虛線代表建築物之最低住宅樓層水平。
- 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上16.37米至16.88米。

19

CROSS-SECTION PLAN OF BUILDING IN THE DEVELOPMENT 發展項目中的建築物橫截面圖

HOUSE 33 33號洋房




NOTES:

- ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- Dotted line denotes the level of the lowest residential floor of the building.
- The part of Driveway / Emergency Vehicular Access adjacent to the building is 16.88 metres to 17.40 metres above the Hong Kong Principal Datum.

備註:

- ▽ 代表香港主水平基準以上的高度 (米)。
- 虛線代表建築物之最低住宅樓層水平。
- 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上16.88米至17.40米。

HOUSE 35 35號洋房




NOTES:

- ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- Dotted line denotes the level of the lowest residential floor of the building.
- The part of Driveway / Emergency Vehicular Access adjacent to the building is 17.40 metres to 17.94 metres above the Hong Kong Principal Datum.

備註:

- ▽ 代表香港主水平基準以上的高度 (米)。
- 虛線代表建築物之最低住宅樓層水平。
- 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上17.40米至17.94米。


HOUSE 36
36號洋房

NOTES:

1. ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
2. — Dotted line denotes the level of the lowest residential floor of the building.
3. The part of Driveway / Emergency Vehicular Access adjacent to the building is 17.94 metres to 18.10 metres above the Hong Kong Principal Datum.

備註:

1. ▽ 代表香港主水平基準以上的高度 (米)。
2. — 虛線代表建築物之最低住宅樓層水平。
3. 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上17.94米至18.10米。


HOUSE 37
37號洋房

NOTES:

1. ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
2. — Dotted line denotes the level of the lowest residential floor of the building.
3. The part of Driveway / Emergency Vehicular Access adjacent to the building is 18.10 metres above the Hong Kong Principal Datum.

備註:

1. ▽ 代表香港主水平基準以上的高度 (米)。
2. — 虛線代表建築物之最低住宅樓層水平。
3. 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上18.10米。


HOUSE 38
38號洋房

NOTES:

- ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- Dotted line denotes the level of the lowest residential floor of the building.
- The part of Driveway / Emergency Vehicular Access adjacent to the building is 18.10 metres above the Hong Kong Principal Datum.

備註:

- ▽ 代表香港主水平基準以上的高度 (米)。
- 虛線代表建築物之最低住宅樓層水平。
- 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上18.10米。

HOUSE 39
39號洋房

NOTES:

- ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- Dotted line denotes the level of the lowest residential floor of the building.
- The part of Driveway / Emergency Vehicular Access adjacent to the building is 18.10 metres above the Hong Kong Principal Datum.

備註:

- ▽ 代表香港主水平基準以上的高度 (米)。
- 虛線代表建築物之最低住宅樓層水平。
- 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上18.10米。

CROSS-SECTION PLAN OF BUILDING IN THE DEVELOPMENT 發展項目中的建築物橫截面圖

Cross-Section Plan H60
橫截面圖 H60

Top Roof 上層天台

Roof 天台

First Floor 1樓

Ground Floor 地下 0.40m (米)

車路 / 緊急車輛通道
Driveway /
Emergency Vehicular Access

花園
Garden

18.0

18.50

花園
Garden

停車場 / 機房
Carpark / Plant Room

最低住宅樓層水平
Level of the Lowest
Residential Floor

發展項目的界線
Boundary of
The Development

1. ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
2. — — Dotted line denotes the level of the lowest residential floor of the building.
3. The part of Driveway / Emergency Vehicular Access adjacent to the building is 18.10 metres above the Hong Kong Principal Datum.

- ▽ 代表香港主水平基準以上的高度(米)。
- 虛線代表建築物之最低住宅樓層水平。
- 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上18.10米。

The diagram is a cross-section of a building labeled 'Cross-Section Plan H61' and '橫截面圖 H61'. It shows the following levels from top to bottom:

- Top Roof 上層天台**: The highest level, shown as a flat roof.
- Roof 天台**: A lower roof level below the top roof.
- First Floor 1樓**: The floor above the ground floor.
- Ground Floor 地下**: The ground level, indicated by a dashed line. To the left of this level, a vertical dimension of 0.40m (米) is shown. Labels include '車路 / 緊急車輛通道' (Driveway / Emergency Vehicular Access) and '花園' (Garden). A horizontal dimension of 18.50 is marked across the ground floor.
- Carpark Floor 停車場層**: The lowest level shown, labeled '停車場 / 機房' (Carpark / Plant Room).

On the right side of the diagram, a vertical line marks the '發展項目的界線' (Boundary of The Development). Below this, a horizontal line indicates the '最低住宅樓層水平' (Level of the Lowest Residential Floor), which is at the ground floor level.


1. ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
2. — — Dotted line denotes the level of the lowest residential floor of the building.
3. The part of Driveway / Emergency Vehicular Access adjacent to the building is 18.10 metres above the Hong Kong Principal Datum.

- ▽ 代表香港主水平基準以上的高度(米)。
- 虛線代表建築物之最低住宅樓層水平。
- 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上18.10米。

19

CROSS-SECTION PLAN OF BUILDING IN THE DEVELOPMENT 發展項目中的建築物橫截面圖

HOUSE 62 62號洋房




NOTES:

- ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- Dotted line denotes the level of the lowest residential floor of the building.
- The part of Driveway / Emergency Vehicular Access adjacent to the building is 18.10 metres above the Hong Kong Principal Datum.

備註:

- ▽ 代表香港主水平基準以上的高度 (米)。
- 虛線代表建築物之最低住宅樓層水平。
- 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上18.10米。

HOUSE 63 63號洋房



NOTES:

- ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- Dotted line denotes the level of the lowest residential floor of the building.
- The part of Driveway / Emergency Vehicular Access adjacent to the building is 18.10 metres above the Hong Kong Principal Datum.


備註:

- ▽ 代表香港主水平基準以上的高度 (米)。
- 虛線代表建築物之最低住宅樓層水平。
- 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上18.10米。

19

CROSS-SECTION PLAN OF BUILDING IN THE DEVELOPMENT 發展項目中的建築物橫截面圖

HOUSE 65 65號洋房




NOTES:

- ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- Dotted line denotes the level of the lowest residential floor of the building.
- The part of Driveway / Emergency Vehicular Access adjacent to the building is 18.10 metres above the Hong Kong Principal Datum.

備註:

- ▽ 代表香港主水平基準以上的高度 (米)。
- 虛線代表建築物之最低住宅樓層水平。
- 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上18.10米。

HOUSE 66 66號洋房



NOTES:

- ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- Dotted line denotes the level of the lowest residential floor of the building.
- The part of Driveway / Emergency Vehicular Access adjacent to the building is 17.83 metres to 18.10 metres above the Hong Kong Principal Datum.


備註:

- ▽ 代表香港主水平基準以上的高度 (米)。
- 虛線代表建築物之最低住宅樓層水平。
- 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上17.83米至18.10米。

19

CROSS-SECTION PLAN OF BUILDING IN THE DEVELOPMENT 發展項目中的建築物橫截面圖

HOUSE 68 68號洋房




NOTES:

- ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- Dotted line denotes the level of the lowest residential floor of the building.
- The part of Driveway / Emergency Vehicular Access adjacent to the building is 17.78 metres to 17.83 metres above the Hong Kong Principal Datum.

備註:

- ▽ 代表香港主水平基準以上的高度 (米)。
- 虛線代表建築物之最低住宅樓層水平。
- 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上17.78米至17.83米。

HOUSE 69 69號洋房




NOTES:

- ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- Dotted line denotes the level of the lowest residential floor of the building.
- The part of Driveway / Emergency Vehicular Access adjacent to the building is 17.28 metres to 17.78 metres above the Hong Kong Principal Datum.

備註:

- ▽ 代表香港主水平基準以上的高度 (米)。
- 虛線代表建築物之最低住宅樓層水平。
- 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上17.28米至17.78米。


HOUSE 70
70號洋房

NOTES:

- ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- Dotted line denotes the level of the lowest residential floor of the building.
- The part of Driveway / Emergency Vehicular Access adjacent to the building is 16.79 metres to 17.28 metres above the Hong Kong Principal Datum.

備註:

- ▽ 代表香港主水平基準以上的高度 (米)。
- 虛線代表建築物之最低住宅樓層水平。
- 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上16.79米至17.28米。

HOUSE 71
71號洋房

NOTES:

- ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- Dotted line denotes the level of the lowest residential floor of the building.
- The part of Driveway / Emergency Vehicular Access adjacent to the building is 17.83 metres above the Hong Kong Principal Datum.


備註:

- ▽ 代表香港主水平基準以上的高度 (米)。
- 虛線代表建築物之最低住宅樓層水平。
- 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上17.83米。

19

CROSS-SECTION PLAN OF BUILDING IN THE DEVELOPMENT 發展項目中的建築物橫截面圖

HOUSE 72 72號洋房



Cross-Section Plan H72
橫截面圖 H72


NOTES:

1. ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
2. — Dotted line denotes the level of the lowest residential floor of the building.
3. The part of Driveway / Emergency Vehicular Access adjacent to the building is 17.83 metres above the Hong Kong Principal Datum.

備註:

1. ▽ 代表香港主水平基準以上的高度 (米)。
2. — 虛線代表建築物之最低住宅樓層水平。
3. 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上17.83米。

HOUSE 73 73號洋房



Cross-Section Plan H73
橫截面圖 H73

NOTES:

1. ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
2. — Dotted line denotes the level of the lowest residential floor of the building.
3. The part of Driveway / Emergency Vehicular Access adjacent to the building is 17.44 metres to 17.83 metres above the Hong Kong Principal Datum.

備註:

1. ▽ 代表香港主水平基準以上的高度 (米)。
2. — 虛線代表建築物之最低住宅樓層水平。
3. 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上17.44米至17.83米。

CROSS-SECTION PLAN OF BUILDING IN THE DEVELOPMENT 發展項目中的建築物橫截面圖

The diagram illustrates the vertical structure of the building, including the following levels and features:

- Top Roof 上層天台**: The highest level shown.
- Roof 天台**: A lower roof level.
- First Floor 1樓**: The ground floor level.
- Ground Floor 地下**: The level below the first floor, with a height of 0.13m (米) from the first floor level.
- Carpark Floor 停車場層**: The lowest level shown, with a height of 0.70m (米) from the ground floor level.

Key features and dimensions include:

- Driveway / Emergency Vehicular Access**: Located on the ground floor level.
- Garden**: Located on the ground floor level.
- Carpark / Plant Room**: Located on the carpark floor level.
- Dimensions**: 17.44, 16.87, and 17.57 are indicated along the ground floor level.
- Level of the Lowest Residential Floor**: Indicated by a dashed line and an arrow pointing to the ground floor level.
- Boundary of the Development**: Indicated by a vertical line on the right side.

Cross-Section Plan H75
橫截面圖 H75

- NOTES:
1.  Denotes height (in metres) above the Hong Kong Principal Datum.
 2.  Dotted line denotes the level of the lowest residential floor of the building.
 3. The part of Driveway / Emergency Vehicular Access adjacent to the building is 16.87 metres to 17.44 metres above the Hong Kong Principal Datum.

This diagram is a cross-section plan of a building, labeled 'Cross-Section Plan H76' and '橫截面圖 H76'. It illustrates the vertical structure and boundaries of the development. The levels shown from top to bottom are:

- Top Roof 上層天台**: The highest level, shown as a flat roof area.
- Roof 天台**: A lower roof level, also shown as a flat area.
- First Floor 1樓**: The first floor above ground, shown as a large rectangular area.
- Ground Floor 地下**: The ground floor level, shown as a large rectangular area. It includes a '車路 / 緊急車輛通道' (Driveway / Emergency Vehicular Access) and a '花園' (Garden). The level is marked as 0.13m (米) above the lowest residential floor level.
- Carpark Floor 停車場層**: The carpark floor, shown as a large rectangular area below the ground floor. It includes a '停車場 / 機房' (Carpark / Plant Room). The level is marked as 0.70m (米) below the ground floor level.


The diagram also shows the '發展項目的界線' (Boundary of The Development) and the '最低住宅樓層水平' (Level of the Lowest Residential Floor). The ground floor level is marked as 16.87, and the carpark floor level is marked as 16.30. The lowest residential floor level is marked as 17.00. The diagram includes a scale bar indicating 0.13m (米) and 0.70m (米).

- NOTES:
1.  Denotes height (in metres) above the Hong Kong Principal Datum.
 2.  Dotted line denotes the level of the lowest residential floor of the building.
 3. The part of Driveway / Emergency Vehicular Access adjacent to the building is 16.30 metres to 16.87 metres above the Hong Kong Principal Datum.

19

CROSS-SECTION PLAN OF BUILDING IN THE DEVELOPMENT 發展項目中的建築物橫截面圖

HOUSE 77 77號洋房




NOTES:

1. ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
2. — Dotted line denotes the level of the lowest residential floor of the building.
3. The part of Driveway / Emergency Vehicular Access adjacent to the building is 15.73 metres to 16.30 metres above the Hong Kong Principal Datum.

備註:

1. ▽ 代表香港主水平基準以上的高度 (米)。
2. — 虛線代表建築物之最低住宅樓層水平。
3. 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上15.73米至16.30米。

HOUSE 78 78號洋房



NOTES:

1. ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
2. — Dotted line denotes the level of the lowest residential floor of the building.
3. The part of Driveway / Emergency Vehicular Access adjacent to the building is 15.16 metres to 15.73 metres above the Hong Kong Principal Datum.


備註:

1. ▽ 代表香港主水平基準以上的高度 (米)。
2. — 虛線代表建築物之最低住宅樓層水平。
3. 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上15.16米至15.73米。

19

CROSS-SECTION PLAN OF BUILDING IN THE DEVELOPMENT 發展項目中的建築物橫截面圖

HOUSE 79
79號洋房



Cross-Section Plan H79
橫截面圖 H79

NOTES:

1. ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
2. — Dotted line denotes the level of the lowest residential floor of the building.
3. The part of Driveway / Emergency Vehicular Access adjacent to the building is 14.58 metres to 15.16 metres above the Hong Kong Principal Datum.

備註:

1. ▽ 代表香港主水平基準以上的高度 (米)。
2. — 虛線代表建築物之最低住宅樓層水平。
3. 毗連建築物的一段車路 / 緊急車輛通道為香港主水平基準以上14.58米至15.16米。