
Legend for floor plans of residential properties in the Phase
期數的住宅物業的樓面平面圖圖例

ACP	= AIR CONDITIONER PLATFORM	空調機平台
ALUMINUM RAIN HOOD	= ALUMINUM RAIN HOOD	鋁質雨篷
ARCHITECTURAL FEATURE	= ARCHITECTURAL FEATURE	建築裝飾
ARCHITECTURAL FEATURE ABOVE	= ARCHITECTURAL FEATURE ABOVE	建築裝飾在上方
ARCHITECTURAL FEATURE BELOW	= ARCHITECTURAL FEATURE BELOW	建築裝飾在下方
BA	= BATHROOM	浴室
BA1	= BATHROOM 1	浴室 1
BA2	= BATHROOM 2	浴室 2
BAL	= BALCONY	露台
BAL ABOVE	= BALCONY ABOVE	露台置上
BR1	= BEDROOM 1	睡房 1
BR2	= BEDROOM 2	睡房 2
BR3	= BEDROOM 3	睡房 3
B/W	= BAY WINDOW	窗台
COMMON ACCESS FOR MAINTENANCE	= COMMON ACCESS FOR MAINTENANCE	供維修用之公用通道
COMMON FLAT ROOF	= COMMON FLAT ROOF	公用平台
CORRIDOR	= CORRIDOR	走廊
DN	= DOWN	落
DOG HOUSE	= MECHANICAL & ELECTRICAL SERVICES DUCT	管道檢修井
ELV	= EXTRA LOW VOLTAGE DUCT	特低壓電線槽
EMR	= ELECTRICAL METER ROOM	電錶房
F. LIFT LOBBY	= FIREMAN'S LIFT LOBBY	消防升降機大堂
FLAT ROOF	= FLAT ROOF	平台
LIFT	= LIFT	升降機
LIFT MACHINE ROOM	= LIFT MACHINE ROOM	升降機房
LIFT OVERRUN	= LIFT OVERRUN	升降機槽
HR	= HOSE REEL	消防喉轆
HR AT H/L	= HOSE REEL AT HIGH LEVEL	消防喉轆設於高位
KIT	= KITCHEN	廚房
LAV	= LAVATORY	洗手間
LIV/DIN	= LIVING ROOM/DINING ROOM	客廳/飯廳
MBA	= MASTER BATHROOM	主人浴室
MBR	= MASTER BEDROOM	主人睡房
MC	= METAL CLADDING	金屬飾面板
OKIT	= OPEN KITCHEN	開放式廚房
POWDER	= POWDER ROOM	化妝間
PRIVATE FLAT ROOF	= PRIVATE FLAT ROOF	私人平台
RC FINS ABOVE	= REINFORCED CONCRETE FINS ABOVE	鋼筋混凝土鰭置上
PD	= PIPE DUCT	管道槽
ROOF FOR FLAT X[1]	= ROOF FOR FLAT X[1]	X[1]單位天台
RSMRR	= REFUSE STORAGE AND MATERIAL RECOVERY ROOM	垃圾及物料回收室
ST	= STORE ROOM	儲物室
TOP OF BAL	= TOP OF BALCONY	露台頂
TOP OF B/W	= TOP OF BAY WINDOW	窗台頂
TOP OF STARHOOD OF FLAT X[1]	= TOP OF STARHOOD OF FLAT X[1]	X[1]單位梯屋上蓋
TRS	= TEMPORARY REFUGE SPACE	臨時庇護處
UP	= UP	上
UTL	= UTILITY ROOM	工作間
UTL1	= UTILITY ROOM 1	工作間 1
UTL2	= UTILITY ROOM 2	工作間 2
VOID	= VOID	中空
VOID ABOVE	= VOID ABOVE	上層中空
WMC	= WATER METER CABINET	水錶櫃
⌜ X[1] ⌝ ⌞ ⌟	= LOCATION OF AIR CONDITIONER OUTDOOR UNIT SERVING FLAT X[1]	X[1]單位空調室外機位置

Remark 備註 :
[1] 'X' denotes flat number.
'X' 表示單位編號。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Tower 2 **8/F**
第2座 **8樓**



SCALE 比例
0 2 4 6 8M/米

BUILT-IN FITTINGS PROVIDED IN THE FLAT
隨樓附送之嵌入式裝置

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Description 描述	Tower 座數	Floor 樓層	Flat 單位						
			A	B	C	D	E	F	G
Thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	Tower 2 第2座	8/F 8樓	150	150	150	150	150	150	150
Floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度 （指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）			3100, 3100*	3100, 3100*	3100, 3100*	3100, 3100*	3100, 3100*	3100, 3100*	3100, 3100*

* Inclusive of the thickness of filling on sunken slab.
* 包括跌級樓之填充層厚度。


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


Remarks:
1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
2. Please refer to the first page of this section for legend of the terms and abbreviations shown in the floor plan.
3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.

備註：
1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
2. 平面圖中顯示之名詞及簡稱之圖例請參閱本節之首頁。
3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。


FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Tower 2 **9/F - 12/F, 15/F - 23/F, 25/F -26/F**
第2座 **9樓至12樓、15樓至23樓、25樓至26樓**






APPLICABLE TO FLAT A ON 18/F OF TOWER 2 ONLY
只適用於第2座18樓A單位



APPLICABLE TO FLAT A ON 18/F OF TOWER 2 ONLY
只適用於第2座18樓A單位



APPLICABLE TO FLAT A ON 18/F OF TOWER 2 ONLY
只適用於第2座18樓A單位

SCALE 比例
0 2 4 6 8M/米

BUILT-IN FITTINGS PROVIDED IN THE FLAT
隨樓附送之嵌入式裝置

Description 描述	Tower 座數	Floor 樓層	Flat 單位						
			A	B	C	D	E	F	G
Thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	Tower 2 第2座	9/F - 12/F, 15/F - 23/F and 25/F 9樓至12樓、 15樓至23樓及25樓	150	150	150	150	150	150	150
Floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度 （指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）			3100, 3100*	3100, 3100*	3100, 3100*	3100, 3100*	3100, 3100*	3100, 3100*	3100, 3100*
Thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）		26/F 26樓	150	150	150	150	150	150	150
Floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度 （指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）			3100, 3200*, 3400*, 3550*	3100, 3400*, 3550*	3100, 3200*, 3400*, 3550*	3100, 3200*, 3400*, 3550*	3100, 3200*, 3400*, 3550*	3100, 3200*, 3400*, 3550*	3100, 3200*, 3400*, 3550*

* Inclusive of the thickness of filling on sunken slab.
* 包括跌級樓之填充層厚度。


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Remarks:
1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
2. Please refer to the first page of this section for legend of the terms and abbreviations shown in the floor plan.
3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.

備註：
1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
2. 平面圖中顯示之名詞及簡稱之圖例請參閱本節之首頁。
3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Tower 2 **28/F -33/F, 35/F - 43/F, 45/F - 46/F, 48/F - 53/F, 55/F - 63/F and 65/F**
第2座 **28樓至33樓、35樓至43樓、45樓至46樓、48樓至53樓、55樓至63樓及65樓**



SCALE 比例
0 2 4 6 8M/米

BUILT-IN FITTINGS PROVIDED IN THE FLAT
隨樓附送之嵌入式裝置

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Description 描述	Tower 座數	Floor 樓層	Flat 單位						
			A	B	C	D	E	F	G
Thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	Tower 2 第2座	28/F - 33/F, 35/F - 43/F, 45/F, 48/F - 53/F, 55/F - 63/F and 65/F 28樓至33樓、35樓至43樓、45樓、48樓至53樓、55樓至63樓及65樓	150	150	150	150	150	150	150
Floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度 （指該樓層之石屎地台面與上一層石屎地台面之高度距離）(毫米）			3100, 3100*	3100, 3100*	3100, 3100*	3100, 3100*	3100, 3100*	3100, 3100*	3100, 3100*
Thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）		46/F 46樓	150	150	150	150	150	150	150
Floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度 （指該樓層之石屎地台面與上一層石屎地台面之高度距離）(毫米）			3100, 3200*, 3400*, 3550*	3100, 3400*, 3550*	3100, 3200*, 3400*, 3550*	3100, 3200*, 3400*, 3550*	3100, 3200*, 3400*, 3550*	3100, 3200*, 3400*, 3550*	3100, 3200*, 3400*, 3550*

* Inclusive of the thickness of filling on sunken slab.
* 包括跌級樓之填充層厚度。


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Remarks:
1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
2. Please refer to the first page of this section for legend of the terms and abbreviations shown in the floor plan.
3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.

備註：
1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
2. 平面圖中顯示之名詞及簡稱之圖例請參閱本節之首頁。
3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Tower 2 **66/F**
第2座 **66樓**



SCALE 比例
0 2 4 6 8M/米

BUILT-IN FITTINGS PROVIDED IN THE FLAT
隨樓附送之嵌入式裝置

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Description 描述	Tower 座數	Floor 樓層	Flat 單位						
			A	B	C	D	E	F	G
Thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	Tower 2 第2座	66/F 66樓	150	150	150	150	150	150	150
Floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度 （指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）			3100, 3200*, 3300, 3400*, 3550*, 3600*, 3750*	2950, 3050, 3250*, 3300, 3400*, 3600*	2950, 3300, 3300*	3300, 3300*	3300, 3300*	3300, 3300*	3300, 3300*

* Inclusive of the thickness of filling on sunken slab.

* 包括跌級樓之填充層厚度。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Remarks:


1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
2. Please refer to the first page of this section for legend of the terms and abbreviations shown in the floor plan.
3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.

備註：

1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
2. 平面圖中顯示之名詞及簡稱之圖例請參閱本節之首頁。
3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Tower 2 **67/F**
第2座 **67樓**



SCALE 比例
0 2 4 6 8M/米

BUILT-IN FITTINGS PROVIDED IN THE FLAT
隨樓附送之嵌入式裝置

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Description 描述	Tower 座數	Floor 樓層	Flat 單位					
			A	B	C	D	E	F
Thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	Tower 2 第2座	67/F 67樓	150	150	150	150	150	150
Floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度 （指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）			3100, 3250, 3300, 3400, 3500, 3600*, 3750*, 3850*, 6800	3300, 3300*	3300, 3300*	3300, 3300*	3300, 3300*	3300, 3300*

* Inclusive of the thickness of filling on sunken slab.
* 包括跌級樓之填充層厚度。


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Remarks:
1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
2. Please refer to the first page of this section for legend of the terms and abbreviations shown in the floor plan.
3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.

備註：
1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
2. 平面圖中顯示之名詞及簡稱之圖例請參閱本節之首頁。
3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Tower 2 **68/F**
第2座 **68樓**



SCALE 比例
0 2 4 6 8M/米

BUILT-IN FITTINGS PROVIDED IN THE FLAT
隨樓附送之嵌入式裝置

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Description 描述	Tower 座數	Floor 樓層	Flat 單位					
			A	B	C	D	E	F
Thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	Tower 2 第2座	68/F 68樓	150, 200	150, 200	150	150	150	150
Floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度 （指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）			3300, 3400*, 3450, 3500, 3550*	3500, 3600*, 3650, 3800*, 3950*	3500, 3600*, 3800*, 3950*	3500, 3600*, 3800*, 3950*	3500, 3600*, 3800*, 3950*	3500, 3600*, 3800*, 3950*

* Inclusive of the thickness of filling on sunken slab.
* 包括跌級樓之填充層厚度。


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Remarks:
1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
2. Please refer to the first page of this section for legend of the terms and abbreviations shown in the floor plan.
3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.

備註：
1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
2. 平面圖中顯示之名詞及簡稱之圖例請參閱本節之首頁。
3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Tower 2 **Roof**
第2座 **天台**



SCALE 比例
0 2 4 6 8M/米

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖


Description 描述	Tower 座數	Floor 樓層	Flat 單位					
			A	B	C	D	E	F
Thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	Tower 2 第2座	Roof 天台	Stairhood: 150; other parts: Not Applicable 梯屋：150; 其他部分：不適用	Stairhood: 150; other parts: Not Applicable 梯屋：150; 其他部分：不適用	Not Applicable 不適用	Not Applicable 不適用	Not Applicable 不適用	Not Applicable 不適用
Floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度 （指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）			Stairhood: 3200; other parts: Not Applicable 梯屋：3200; 其他部分：不適用	Stairhood: 3200; other parts: Not Applicable 梯屋：3200; 其他部分：不適用	Not Applicable 不適用	Not Applicable 不適用	Not Applicable 不適用	Not Applicable 不適用

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Remarks:
1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
2. Please refer to the first page of this section for legend of the terms and abbreviations shown in the floor plan.
3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.

備註：
1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
2. 平面圖中顯示之名詞及簡稱之圖例請參閱本節之首頁。
3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。

Tower 2 **UR 1/F**
第2座 **上層天台1**



SCALE 比例
0 2 4 6 8M/米

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Description 描述	Tower 座數	Floor 樓層	Flat 單位	
			A	B
Thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	Tower 2 第2座	UR 1/F 上層天台1	Not Applicable 不適用	Not Applicable 不適用
Floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度 （指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）			Not Applicable 不適用	Not Applicable 不適用

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Remarks:
1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
2. Please refer to the first page of this section for legend of the terms and abbreviations shown in the floor plan.
3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.

備註：
1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
2. 平面圖中顯示之名詞及簡稱之圖例請參閱本節之首頁。
3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。